

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2009/10/13	1925-2017	24.8833	122	5	25.68	31.84
1	2009/10/13	1925-2017	24.8833	122	25	21.18	34.01
1	2009/10/13	1925-2017	24.8833	122	50	19.56	34.22
2	2009/10/13	2225-2318	25	122.5	5	27.63	33.89
2	2009/10/13	2225-2318	25	122.5	25	27.64	33.89
2	2009/10/13	2225-2318	25	122.5	50	27.11	34.02
3	2009/10/14	0144-0230	25.0166	123.0166	5	27.47	33.9
3	2009/10/14	0144-0230	25.0166	123.0166	25	27.47	33.9
3	2009/10/14	0144-0230	25.0166	123.0166	50	27.47	33.9
4	2009/10/14	0653-0730	24.5166	122.5	5	28.14	34.01
4	2009/10/14	0653-0730	24.5166	122.5	25	28.14	34.02
4	2009/10/14	0653-0730	24.5166	122.5	50	27.7	34.3
5	2009/10/14	1010-1052	24.5166	122.0166	5	27.58	33.59
5	2009/10/14	1010-1052	24.5166	122.0166	25	27.72	33.76
5	2009/10/14	1010-1052	24.5166	122.0166	50	27.74	34.01
6	2009/10/14	1427-1506	24	121.7	5	27.47	33.37
6	2009/10/14	1427-1506	24	121.7	25	27.46	33.37
6	2009/10/14	1427-1506	24	121.7	50	25.67	33.95
7	2009/10/14	1717-1800	23.75	122	5	28.06	33.75
7	2009/10/14	1717-1800	23.75	122	25	28.04	33.9
7	2009/10/14	1717-1800	23.75	122	50	27.13	34.37
8	2009/10/14	2110-2201	23.7666	122.5	5	28.44	34.03
8	2009/10/14	2110-2201	23.7666	122.5	25	28.44	34.03
8	2009/10/14	2110-2201	23.7666	122.5	50	27.29	34.37
9	2009/10/15	0054-0146	23.76666	123	5	28.02	34.11
9	2009/10/15	0054-0146	23.76666	123	25	28.02	34.11
9	2009/10/15	0054-0146	23.76666	123	50	28.02	34.14
10	2009/10/15	5054-0641	23	123	5	28.11	34.12
10	2009/10/15	5054-0641	23	123	25	28.11	34.12
10	2009/10/15	5054-0641	23	123	50	28	34.19
11	2009/10/15	0915-1002	23	122.5	5	28.46	33.82
11	2009/10/15	0915-1002	23	122.5	25	28.48	34.19
11	2009/10/15	0915-1002	23	122.5	50	26.49	34.44
12	2009/10/15	1238-1325	23	122	5	27.69	33.66
12	2009/10/15	1238-1325	23	122	25	27.12	34.07
12	2009/10/15	1238-1325	23	122	50	25.99	34.39
13	2009/10/15	1618-1713	23.0166	121.5	5	27.96	33.49
13	2009/10/15	1618-1713	23.0166	121.5	25	27.97	33.49
13	2009/10/15	1618-1713	23.0166	121.5	50	27.31	33.78
14	2009/10/15	2008-2059	22.6833	121.25	5	27.99	33.65
14	2009/10/15	2008-2059	22.6833	121.25	25	28	33.66
14	2009/10/15	2008-2059	22.6833	121.25	50	27.53	33.7
15	2009/10/15	2340-0030	22.25	121.0166	5	27.83	33.6
15	2009/10/15	2340-0030	22.25	121.0166	25	27.84	33.6
15	2009/10/15	2340-0030	22.25	121.0166	50	27.74	33.65

16	2009/10/16	0300-0342	22.2666	121.5	5	27.86	33.58
16	2009/10/16	0300-0342	22.2666	121.5	25	27.71	33.64
16	2009/10/16	0300-0342	22.2666	121.5	50	27.27	33.7
17	2009/10/16	0620-0709	22.2666	122	5	28.8	34.2
17	2009/10/16	0620-0709	22.2666	122	25	28.79	34.19
17	2009/10/16	0620-0709	22.2666	122	50	26.92	34.44
18	2009/10/16	0952-1040	22.25	122.5	5	28.85	34.15
18	2009/10/16	0952-1040	22.25	122.5	25	28.72	34.14
18	2009/10/16	0952-1040	22.25	122.5	50	28.37	34.23
19	2009/10/16	1320-1405	22.23333	123	5	28.26	34.12
19	2009/10/16	1320-1405	22.23333	123	25	28.15	34.12
19	2009/10/16	1320-1405	22.23333	123	50	28.07	34.18
20	2009/10/16	1753-1810	21.5	123	5	28.41	34.19
20	2009/10/16	1753-1810	21.5	123	25	28.36	34.23
20	2009/10/16	1753-1810	21.5	123	50	26.49	34.49
21	2009/10/16	2108-2159	21.5	122.5	5	28.54	34.13
21	2009/10/16	2108-2159	21.5	122.5	25	28.55	34.13
21	2009/10/16	2108-2159	21.5	122.5	50	27.14	34.34
22	2009/10/17	0025-0117	21.5166	122	5	28.81	34.19
22	2009/10/17	0025-0117	21.5166	122	25	28.68	34.23
22	2009/10/17	0025-0117	21.5166	122	50	27.04	34.41
23	2009/10/17	0355-0445	21.5	121.5	5	28.09	34.32
23	2009/10/17	0355-0445	21.5	121.5	25	28.02	34.32
23	2009/10/17	0355-0445	21.5	121.5	50	27.82	34.41
24	2009/10/17	0720-0810	21.5	121	5	27.73	33.59
24	2009/10/17	0720-0810	21.5	121	25	27.82	34.08
24	2009/10/17	0720-0810	21.5	121	50	27.08	34.48
25	2009/10/17	1033-1125	21.5	120.5	5	28.05	33.55
25	2009/10/17	1033-1125	21.5	120.5	25	27.91	33.56
25	2009/10/17	1033-1125	21.5	120.5	50	27.86	34.02
26	2009/10/17	1325-1415	21.5	120	5	27.87	33.12
26	2009/10/17	1325-1415	21.5	120	25	27.67	33.29
26	2009/10/17	1325-1415	21.5	120	50	27.59	33.83
27	2009/10/17	1625-1710	21.5	119.5	5	27.5	33.05
27	2009/10/17	1625-1710	21.5	119.5	25	26.93	33.33
27	2009/10/17	1625-1710	21.5	119.5	50	25.91	33.63
28	2009/10/17	1930-2025	21.5	119	5	27.22	33.32
28	2009/10/17	1930-2025	21.5	119	25	26.53	33.4
28	2009/10/17	1930-2025	21.5	119	50	25.82	33.83
29	2009/10/17	2255-2343	22	119	5	27.29	33.25
29	2009/10/17	2255-2343	22	119	25	28.11	34.11
29	2009/10/17	2255-2343	22	119	50	27.72	34.2
30	2009/10/18	0223-0317	22	119.5	5	27.69	33.46
30	2009/10/18	0223-0317	22	119.5	25	27.5	33.8
30	2009/10/18	0223-0317	22	119.5	50	26.94	34.3
31	2009/10/18	0556-0640	22	120	5	27.6	33.45

31	2009/10/18	0556-0640	22	120	25	27.62	33.43
31	2009/10/18	0556-0640	22	120	50	27.69	33.82
32	2009/10/18	0908-0940	22	120.5	5	27.92	34.06
32	2009/10/18	0908-0940	22	120.5	25	27.92	34.07
32	2009/10/18	0908-0940	22	120.5	50	27.76	34.24
33	2009/10/18	1214-1250	22.3666	120.3333	5	27.64	33.7
33	2009/10/18	1214-1250	22.3666	120.3333	25	28.02	34.08
33	2009/10/18	1214-1250	22.3666	120.3333	50	27.02	34.11
34	2009/10/18	1440-1520	22.5	120	5	27.88	33.96
34	2009/10/18	1440-1520	22.5	120	25	27.78	34
34	2009/10/18	1440-1520	22.5	120	50	27.86	34.11
35	2009/10/18	1804-1830	22.5	119.5	5	27.79	33.93
35	2009/10/18	1804-1830	22.5	119.5	25	27.66	33.98
35	2009/10/18	1804-1830	22.5	119.5	50	27.74	34.21
36	2009/10/18	2055-2114	22.7096	119.0166	5	26.76	33.64
36	2009/10/18	2055-2114	22.7096	119.0166	25	26.82	33.68
36	2009/10/18	2055-2114	22.7096	119.0166	50	26.8	33.82
37	2009/10/18	2323-2345	22.9333	119.1	5	26.71	33.58
37	2009/10/18	2323-2345	22.9333	119.1	25 -	-	-
37	2009/10/18	2323-2345	22.9333	119.1	50 -	-	-
38	2009/10/19	0131-0158	23	119.5	5	26.62	33.74
38	2009/10/19	0131-0158	23	119.5	25	24.22	34.07
38	2009/10/19	0131-0158	23	119.5	50	23.31	34.2
39	2009/10/19	0405-0435	23.0166	119.9	5	26.51	33.76
39	2009/10/19	0405-0435	23.0166	119.9	25	26.24	33.86
39	2009/10/19	0405-0435	23.0166	119.9	50	24.72	34
40	2009/10/19	0655-0720	23.5	119.9166	5	26.8	33.87
40	2009/10/19	0655-0720	23.5	119.9166	25	26.59	33.92
40	2009/10/19	0655-0720	23.5	119.9166	50	26.48	33.96
41	2009/10/19	0928-0946	23.4333	119.45	5	25.36	33.93
41	2009/10/19	0928-0946	23.4333	119.45	25	25.34	33.93
41	2009/10/19	0928-0946	23.4333	119.45	50 -	-	-
42	2009/10/19	1202-1223	23.5	119	5	25.97	33.89
42	2009/10/19	1202-1223	23.5	119	25	25.82	33.89
42	2009/10/19	1202-1223	23.5	119	50 -	-	-
43	2009/10/19	1525-1540	24	119	5	25.15	32.79
43	2009/10/19	1525-1540	24	119	25	25.26	33.1
43	2009/10/19	1525-1540	24	119	50	25.7	33.77
44	2009/10/19	1815-1835	24.1333	119.5	5	25.54	33.91
44	2009/10/19	1815-1835	24.1333	119.5	25	25.29	33.97
44	2009/10/19	1815-1835	24.1333	119.5	50	24.67	34.06
45	2009/10/19	2058-2117	24	120	5	26.53	33.86
45	2009/10/19	2058-2117	24	120	25	26.26	33.89
45	2009/10/19	2058-2117	24	120	50 -	-	-
46	2009/10/20	0054-0113	24.5	120.5	5	26.22	33.92
46	2009/10/20	0054-0113	24.5	120.5	25	26.23	33.92

46	2009/10/20	0054-0113	24.5	120.5	50	-	-
47	2009/10/20	0350-0415	24.5	120	5	25.6	33.6
47	2009/10/20	0350-0415	24.5	120	25	25.6	33.6
47	2009/10/20	0350-0415	24.5	120	50	25.86	33.72
48	2009/10/20	0645-0705	24.5	119.5	5	25.54	33.95
48	2009/10/20	0645-0705	24.5	119.5	25	25.56	33.95
48	2009/10/20	0645-0705	24.5	119.5	50	25.31	34.01
49	2009/10/20	1227-1245	25	120	5	25	32.78
49	2009/10/20	1227-1245	25	120	25	25.39	33.35
49	2009/10/20	1227-1245	25	120	50	25.76	33.87
50	2009/10/20	1600-1619	25	120.5	5	24.49	31.71
50	2009/10/20	1600-1619	25	120.5	25	24.53	31.77
50	2009/10/20	1600-1619	25	120.5	50	25.2	33.31
51	2009/10/20	1915-1940	25.0833	120.9166	5	25.33	33.66
51	2009/10/20	1915-1940	25.0833	120.9166	25	25.34	33.66
51	2009/10/20	1915-1940	25.0833	120.9166	50	25.5	33.82
52	2009/10/20	2240-2305	25.5	120.5	5	24.35	31.77
52	2009/10/20	2240-2305	25.5	120.5	25	24.39	31.82
52	2009/10/20	2240-2305	25.5	120.5	50	25.19	33.15
53	2009/10/21	0302-0322	26	121	5	25.19	33.86
53	2009/10/21	0302-0322	26	121	25	25.21	33.86
53	2009/10/21	0302-0322	26	121	50	25.21	33.86
54	2009/10/21	0613-0637	25.5	121	5	25.17	33.88
54	2009/10/21	0613-0637	25.5	121	25	25.18	33.88
54	2009/10/21	0613-0637	25.5	121	50	25.18	33.88
55	2009/10/22	1003-1035	25.5	121.4166	5	24.25	33.9
55	2009/10/22	1003-1035	25.5	121.4166	25	23.89	33.93
55	2009/10/22	1003-1035	25.5	121.4166	50	23.04	34.01
56	2009/10/22	1320-1338	26	121.5	5	25.07	33.88
56	2009/10/22	1320-1338	26	121.5	25	25.05	33.87
56	2009/10/22	1320-1338	26	121.5	50	23.3	34
57	2009/10/21	1618-1638	26	122	5	22.6	33.99
57	2009/10/21	1618-1638	26	122	25	20.95	34.17
57	2009/10/21	1618-1638	26	122	50	18.02	34.43
58	2009/10/21	1950-2015	26.0166	122.4833	5	26.31	33.67
58	2009/10/21	1950-2015	26.0166	122.4833	25	25.34	33.9
58	2009/10/21	1950-2015	26.0166	122.4833	50	21.14	34.69
59	2009/10/21	2328-2355	26	123	5	27.12	33.76
59	2009/10/21	2328-2355	26	123	25	27.12	33.76
59	2009/10/21	2328-2355	26	123	50	27.17	34.08
60	2009/10/22	0250-0350	25.5166	123	5	27.91	34.28
60	2009/10/22	0250-0350	25.5166	123	25	27.91	34.28
60	2009/10/22	0250-0350	25.5166	123	50	27.92	34.28
61	2009/10/22	0612-0646	25.5166	122.5	5	26.73	33.94
61	2009/10/22	0612-0646	25.5166	122.5	25	26.67	34
61	2009/10/22	0612-0646	25.5166	122.5	50	26.03	34

62	2009/10/22	0855-0920	25.5	122	5	22.67	34
62	2009/10/22	0855-0920	25.5	122	25	21.17	34.13
62	2009/10/22	0855-0920	25.5	122	50	19.18	34.32