

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2010/9/27	1327-1420	24.8833	122	5	27.49	33.65
1	2010/9/27	1327-1420	24.8833	122	25	25.08	34.02
1	2010/9/27	1327-1420	24.8833	122	50	22.1	34.44
2	2010/9/27	1638-1716	25	122.5	5	29.15	33.49
2	2010/9/27	1638-1716	25	122.5	25	28.95	33.89
2	2010/9/27	1638-1716	25	122.5	50	27.79	34.43
3	2010/9/27	1930-2021	25.0166	123.0166	5	28.58	33.42
3	2010/9/27	1930-2021	25.0166	123.0166	25	29.16	34.29
3	2010/9/27	1930-2021	25.0166	123.0166	50	28.64	34.39
4	2010/9/28	0033-0101	24.5166	122.5	5	28.86	33.73
4	2010/9/28	0033-0101	24.5166	122.5	25	28.98	33.88
4	2010/9/28	0033-0101	24.5166	122.5	50	29.2	34.42
5	2010/9/28	0350-0429	24.5166	122.0166	5	28.31	33.53
5	2010/9/28	0350-0429	24.5166	122.0166	25	27.91	33.62
5	2010/9/28	0350-0429	24.5166	122.0166	50	25.5	34.3
6	2010/9/28	0750-0823	24	121.07	5	27.35	33.07
6	2010/9/28	0750-0823	24	121.07	25	26.81	33.81
6	2010/9/28	0750-0823	24	121.07	50	23.59	34.31
7	2010/9/28	1040-1143	23.75	122	5	29.18	33.98
7	2010/9/28	1040-1143	23.75	122	25	29.66	34.45
7	2010/9/28	1040-1143	23.75	122	50	28.73	34.48
8	2010/9/28	1404-1455	23.75	122.5	5	29.43	33.68
8	2010/9/28	1404-1455	23.75	122.5	25	29.05	33.82
8	2010/9/28	1404-1455	23.75	122.5	50	29.05	34.22
9	2010/9/28	1716-1758	23.75	122.9833	5	29.56	34.22
9	2010/9/28	1716-1758	23.75	122.9833	25	29.42	34.2
9	2010/9/28	1716-1758	23.75	122.9833	50	29.31	34.5
10	2010/9/28	2206-2247	23	122.9833	5	29.49	34.32
10	2010/9/28	2206-2247	23	122.9833	25	29.48	34.32
10	2010/9/28	2206-2247	23	122.9833	50	29.45	34.32
11	2010/9/29	0115-0202	23	122.4833	5	29.32	34.26
11	2010/9/29	0115-0202	23	122.4833	25	29.32	34.25
11	2010/9/29	0115-0202	23	122.4833	50	29.32	34.25
12	2010/9/29	0428-0539	23	122	5	29.54	34.49
12	2010/9/29	0428-0539	23	122	25	29.09	34.5
12	2010/9/29	0428-0539	23	122	50	26.56	34.77
13	2010/9/29	0820-0912	23.0166	121.5	5	28.31	33.5
13	2010/9/29	0820-0912	23.0166	121.5	25	28.71	34.39
13	2010/9/29	0820-0912	23.0166	121.5	50	26.24	34.73
14	2010/9/29	1152-1245	22.6833	121.25	5	29.2	33.61
14	2010/9/29	1152-1245	22.6833	121.25	25	29.13	33.8
14	2010/9/29	1152-1245	22.6833	121.25	50	27.41	34.61
15	2010/9/29	1520-1604	22.25	121.0166	5	28.4	33.45
15	2010/9/29	1520-1604	22.25	121.0166	25	28.14	33.6
15	2010/9/29	1520-1604	22.25	121.0166	50	25.84	34.12

16	2010/9/29	1825-1859	22.2666	121.5	5	29.62	34.61
16	2010/9/29	1825-1859	22.2666	121.5	25	29.59	34.61
16	2010/9/29	1825-1859	22.2666	121.5	50	26.77	34.63
17	2010/9/29	2129-2230	22.2666	122	5	29.61	34.49
17	2010/9/29	2129-2230	22.2666	122	25	29.62	34.5
17	2010/9/29	2129-2230	22.2666	122	50	29.45	34.5
18	2010/9/30	0113-0155	22.25	122.5	5	29.32	34.19
18	2010/9/30	0113-0155	22.25	122.5	25	29.33	34.19
18	2010/9/30	0113-0155	22.25	122.5	50	29.31	34.28
19	2010/9/30	0439-0526	22.2333	123	5	29.37	34.32
19	2010/9/30	0439-0526	22.2333	123	25	29.36	34.32
19	2010/9/30	0439-0526	22.2333	123	50	29.36	34.32
20	2010/9/30	0942-1022	21.5	123	5	29.23	34.31
20	2010/9/30	0942-1022	21.5	123	25	29.22	34.31
20	2010/9/30	0942-1022	21.5	123	50	29.22	34.31
21	2010/9/30	1255-1345	21.5	122.5	5	29.56	34.32
21	2010/9/30	1255-1345	21.5	122.5	25	29.48	34.32
21	2010/9/30	1255-1345	21.5	122.5	50	29.44	34.32
22	2010/9/30	1610-1700	21.5166	122	5	29.3	34.41
22	2010/9/30	1610-1700	21.5166	122	25	29.1	34.61
22	2010/9/30	1610-1700	21.5166	122	50	28.35	34.7
23	2010/9/30	1954-2049	21.5	121.5	5	29.63	34.57
23	2010/9/30	1954-2049	21.5	121.5	25	29.63	34.57
23	2010/9/30	1954-2049	21.5	121.5	50	29.59	34.58
24	2010/9/30	2324-0034	21.5	121	5	29.35	34.12
24	2010/9/30	2324-0034	21.5	121	25	29.36	34.13
24	2010/9/30	2324-0034	21.5	121	50	29.47	34.34
25	2010/10/1	0350-0500	21.5	120.5	5	29.02	34.18
25	2010/10/1	0350-0500	21.5	120.5	25	29.02	34.2
25	2010/10/1	0350-0500	21.5	120.5	50	29.05	34.28
26	2010/10/1	0735-0835	21.5	120	5	28.69	33.27
26	2010/10/1	0735-0835	21.5	120	25	28.66	33.44
26	2010/10/1	0735-0835	21.5	120	50	28.86	33.76
27	2010/10/1	1154-1240	21.5	119.5	5	29.15	33.5
27	2010/10/1	1154-1240	21.5	119.5	25	29.06	33.51
27	2010/10/1	1154-1240	21.5	119.5	50	28.9	33.64
28	2010/10/1	1550-1636	21.5	119	5	28.96	33.31
28	2010/10/1	1550-1636	21.5	119	25	28.84	33.31
28	2010/10/1	1550-1636	21.5	119	50	28.92	33.58
29	2010/10/1	1958-2045	22	119	5	29.01	33.44
29	2010/10/1	1958-2045	22	119	25	29	33.44
29	2010/10/1	1958-2045	22	119	50	28.98	34.06
30	2010/10/1	2343-0055	22	119.5	5	29.07	33.44
30	2010/10/1	2343-0055	22	119.5	25	29.06	33.44
30	2010/10/1	2343-0055	22	119.5	50	29	33.84
31	2010/10/2	0405-0505	22	120	5	29.18	33.52

31	2010/10/2	0405-0505	22	120	25	29.05	33.52
31	2010/10/2	0405-0505	22	120	50	28.72	33.54
32	2010/10/2	0814-0843	22	120.5	5	28.94	33.24
32	2010/10/2	0814-0843	22	120.5	25	28.93	33.25
32	2010/10/2	0814-0843	22	120.5	50	28.83	33.28
33	2010/10/2	1143-1220	22.3666	120.3333	5	29.23	33.26
33	2010/10/2	1143-1220	22.3666	120.3333	25	28.73	33.49
33	2010/10/2	1143-1220	22.3666	120.3333	50	27.84	33.81
34	2010/10/2	1431-1505	22.5	120	5	29.41	33.41
34	2010/10/2	1431-1505	22.5	120	25	28.92	33.51
34	2010/10/2	1431-1505	22.5	120	50	27.36	33.88
35	2010/10/2	1823-1919	22.5	119.5	5	28.83	33.42
35	2010/10/2	1823-1919	22.5	119.5	25	28.75	33.42
35	2010/10/2	1823-1919	22.5	119.5	50	27.37	33.8
36	2010/10/2	2230-2248	22.5166	119.0166	5	28.57	33.35
36	2010/10/2	2230-2248	22.5166	119.0166	25	27.9	33.42
36	2010/10/2	2230-2248	22.5166	119.0166	50	25.63	33.77
37	2010/10/3	0144-0155	22.9333	119.01	5	27.61	33.43
37	2010/10/3	0144-0155	22.9333	119.01	25 -	-	-
37	2010/10/3	0144-0155	22.9333	119.01	50 -	-	-
38	2010/10/3	0427-0456	23	119.5	5	28.56	33.44
38	2010/10/3	0427-0456	23	119.5	25	28.13	33.48
38	2010/10/3	0427-0456	23	119.5	50	24.48	33.8
39	2010/10/3	0713-0735	23.0166	119.09	5	28.84	33.39
39	2010/10/3	0713-0735	23.0166	119.09	25	28.79	33.42
39	2010/10/3	0713-0735	23.0166	119.09	50	27.07	33.79
40	2010/10/3	1057-1117	23.5	119.09	5	28.91	33.43
40	2010/10/3	1057-1117	23.5	119.09	25	27.93	33.77
40	2010/10/3	1057-1117	23.5	119.09	50	26.77	33.93
41	2010/10/3	1340-1420	23.4333	119.4833	5	27.84	33.69
41	2010/10/3	1340-1420	23.4333	119.4833	25	26.92	33.74
41	2010/10/3	1340-1420	23.4333	119.4833	50 -	-	-
42	2010/10/3	1655-1705	23.4833	119	5	26.7	33.7
42	2010/10/3	1655-1705	23.4833	119	25	26.59	33.7
42	2010/10/3	1655-1705	23.4833	119	50 -	-	-
43	2010/10/3	2100-2126	24	119	5	26.91	33.64
43	2010/10/3	2100-2126	24	119	25	26.91	33.64
43	2010/10/3	2100-2126	24	119	50 -	-	-
44	2010/10/4	0159-0239	24.1333	119.5	5	27.54	33.65
44	2010/10/4	0159-0239	24.1333	119.5	25	26.81	33.57
44	2010/10/4	0159-0239	24.1333	119.5	50 -	-	-
45	2010/10/4	0628-0642	24	120	5	27.61	33.74
45	2010/10/4	0628-0642	24	120	25	27.61	33.74
45	2010/10/4	0628-0642	24	120	50 -	-	-
46	2010/10/4	1435-1455	24.5	120.5	5	27.55	33.55
46	2010/10/4	1435-1455	24.5	120.5	25	27.55	33.54

46	2010/10/4	1435-1455	24.5	120.5	50	-	-
47	2010/10/4	1720-1736	24.5	120	5	26.47	33.77
47	2010/10/4	1720-1736	24.5	120	25	26.47	33.76
47	2010/10/4	1720-1736	24.5	120	50	-	-
48	2010/10/4	1559-2044	24.5	119.5	5	26.38	33.77
48	2010/10/4	1559-2044	24.5	119.5	25	26.37	33.77
48	2010/10/4	1559-2044	24.5	119.5	50	26.2	33.86
49	2010/10/5	0250-0319	25	120	5	26.22	33.66
49	2010/10/5	0250-0319	25	120	25	26.22	33.71
49	2010/10/5	0250-0319	25	120	50	-	-
50	2010/10/5	0647-0703	25	120.5	5	26.28	33.79
50	2010/10/5	0647-0703	25	120.5	25	26.28	33.79
50	2010/10/5	0647-0703	25	120.5	50	25.39	33.99
51	2010/10/5	1018-1038	25.0833	120.9166	5	27.26	33.53
51	2010/10/5	1018-1038	25.0833	120.9166	25	27.24	33.55
51	2010/10/5	1018-1038	25.0833	120.9166	50	26.92	33.75
52	2010/10/5	1358-1441	25.5	120.5	5	26.07	33.8
52	2010/10/5	1358-1441	25.5	120.5	25	26.07	33.81
52	2010/10/5	1358-1441	25.5	120.5	50	25.23	34.06
53	2010/10/5	1922-1950	26	121	5	26.91	33.58
53	2010/10/5	1922-1950	26	121	25	26.86	33.58
53	2010/10/5	1922-1950	26	121	50	26.67	33.86
54	2010/10/5	2254-2316	25.5	121	5	26.95	33.6
54	2010/10/5	2254-2316	25.5	121	25	26.97	33.59
54	2010/10/5	2254-2316	25.5	121	50	26.81	33.81
55	2010/10/6	0237-0258	25.5	121.4833	5	26.19	33.76
55	2010/10/6	0237-0258	25.5	121.4833	25	26.2	33.76
55	2010/10/6	0237-0258	25.5	121.4833	50	26.11	33.81
56	2010/10/6	0603-0621	26	121.5	5	26.09	33.9
56	2010/10/6	0603-0621	26	121.5	25	26.03	33.92
56	2010/10/6	0603-0621	26	121.5	50	25.59	33.99
57	2010/10/6	0933-0955	26	122	5	26.24	33.94
57	2010/10/6	0933-0955	26	122	25	23.21	34.14
57	2010/10/6	0933-0955	26	122	50	20.21	34.39
58	2010/10/6	1236-1300	26.0166	122.4833	5	27.66	34.2
58	2010/10/6	1236-1300	26.0166	122.4833	25	27.07	34.61
58	2010/10/6	1236-1300	26.0166	122.4833	50	21.87	34.58
59	2010/10/6	1551-1626	26	123	5	28.64	34.46
59	2010/10/6	1551-1626	26	123	25	28.81	34.45
59	2010/10/6	1551-1626	26	123	50	26.35	34.71
60	2010/10/6	2038-2120	25.5166	123	5	28.8	34.26
60	2010/10/6	2038-2120	25.5166	123	25	28.79	34.26
60	2010/10/6	2038-2120	25.5166	123	50	28.79	34.26
61	2010/10/7	0036-0115	25.5166	122.5	5	26.05	34.06
61	2010/10/7	0036-0115	25.5166	122.5	25	25.73	34.04
61	2010/10/7	0036-0115	25.5166	122.5	50	23.88	34.3

62	2010/10/7	0409-0459	25.5	122	5	24.8	34.2
62	2010/10/7	0409-0459	25.5	122	25	24.24	34.23
62	2010/10/7	0409-0459	25.5	122	50	22.22	34.45